



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

The greatest service of this method appears when the two sets of allelomorphs are combined. The student has learned to multiply $a^2 + 2ab + b^2$ by the expression $x^2 + 2xy + y^2$. He will perform the operation as one familiar to him and he can readily be taught to recognize the four pure strains a^2x^2 , a^2y^2 , b^2x^2 , b^2y^2 . Suppose a and y represent the dominant characters and b and x represent the recessives, emphasizing the fact that the dominant is effective whether appearing as the first or as the second power. Suppose a represent tallness and y represent red flower in a plant. Gathering the results of the multiplication according to visible attributes we have four columns representing the Mendelian ratio 9:3:3:1.

Tall Red	Tall White	Dwarf Red	Dwarf White
$2a^2xy$ $4abxy$ $2aby^2$ a^2y^2	a^2x^2 $2abx^2$	b^2y^2 $2bxy$	b^2x^2
9	3	3	1

This is only one of many devices all alike fundamentally but it has the great value of utilizing a familiar process. Many times I have seen it clear up a badly fogged situation. It is worth trying on the discouraged pupil at any rate.

LOYE HOLMES MILLER

STATE NORMAL SCHOOL,
LOS ANGELES, CALIF.

SILEXITE: A NEW ROCK NAME

IN the granites of the Adirondack region the writer has observed many bodies of pure or nearly pure silica of igneous origin in the form of dikes segregation masses practically *in situ*, or inclusions. Among many other districts where similar masses of silica occur is the Silver Peak quadrangle of Nevada in an account of which Spurr has described many considerable bodies of quartz of magmatic origin. Numerous fine examples of so-called "quartz dikes" occur in the Holyoke quadrangle of western Massachusetts described by Emerson. The need for a definite name to apply to any

such body of silica has impressed itself upon the writer during the preparation of a discussion of the acidic dikes of northern New York. Such terms as "quartz dikes" or "dike quartz" are not comprehensive enough, first, because much of the silica under consideration is not in dike form, and, second, because the silica may be either quartz or tridymite depending upon the temperature of crystallization.

The term "selexite" is proposed for any body of pure or nearly pure silica of igneous or aqueo-igneous origin which occurs as a dike, segregation mass, or inclusion within or without its parent rock. This term is based upon the name "silex" used by Pliny in his "Natural History" for the mineral now known as quartz. "Silexite," therefore, not only has the advantage of simplicity as a name, but also it directly suggests the composition of the rock which it names.

WILLIAM J. MILLER

SMITH COLLEGE

THE WESTERN SOCIETY OF NATURALISTS

THE Bay Section of the society held a two-day meeting at Stanford University, November 29-30, 1918. The sessions, held in Jordan Hall, were well attended and the various papers which were of more than usual interest were enthusiastically received. Dr. Joseph Grinnell served as chairman. An informal dinner Friday evening and a field trip on Saturday afternoon were features of the occasion. Dr. S. D. Townley gave the evening lecture on "The recent solar eclipse."

The following papers were presented:

Isolation as a factor in species forming: DAVID STARR JORDAN, Stanford University.

A Thanksgiving Day registration of plants in bloom on Mt. Tamalpais: ALICE EASTWOOD, California Academy of Sciences.

Use of selective dyes in sanitary examination of water: IVAN C. HALL, University of California.

The naturalist's place in his community: E. W. ALLEN, Fresno High School.

Adaptation of the eyes of birds for rapid flight: J. R. SLONAKER, Stanford University.

Intrauterine absorption of conceptuses: A. W. MEYER, Stanford University.